



# **TECHNICAL PACKAGE**

**200A LAKESHORE DRIVE  
REGINA, SASKATCHEWAN  
CANADA  
S4S 7L3**

**[www.conexusartscentre.ca](http://www.conexusartscentre.ca)**

# CONEXUS ARTS CENTRE CAPITAL AUTO THEATRE

## **ADMINISTRATION STAFF** CHIEF

EXECUTIVE OFFICER	Neil Donnelly	(306) 565-4500
THEATRE SERVICES MANAGER	Amanda Partridge	(306)565-4534 <a href="mailto:amandap@conexusartscentre.ca">amandap@conexusartscentre.ca</a>
THEATRE SERVICES ASSISTANT	Emily Barton	(306) 565-4504 <a href="mailto:emilyb@conexusartscentre.ca">emilyb@conexusartscentre.ca</a>
DIRECTOR OF CLIENT SERVICES	Shari Tourscher	(306) 565-4516 <a href="mailto:shari.tourscher@conexusartscentre.ca">shari.tourscher@conexusartscentre.ca</a>
GUEST SERVICES SUPERVISOR		<a href="mailto:boxoffice@conexusartscentre.ca">boxoffice@conexusartscentre.ca</a>

## **TECHNICAL CONTACTS** HEAD

STAGE CARPENTER	Gary Exner	(306) 565-4529 <a href="mailto:exner@conexusartscentre.ca">exner@conexusartscentre.ca</a>
HEAD AUDIO TECHNICIAN	Mitch Zaleschuk	(306) 565-4531 <a href="mailto:head.audio@conexusartscentre.ca">head.audio@conexusartscentre.ca</a>
HEAD LIGHTING TECHNICIAN	Riley Richter	(306) 565-4537 <a href="mailto:headlighting@conexusartscentre.ca">headlighting@conexusartscentre.ca</a>

## **RENTAL INFORMATION**

Please contact Amanda Partridge at (306) 565-4534 directly for booking information and rates.

## **CATERING INFORMATION**

The Conexus Arts Centre is a fully equipped Banquet and Convention facility. Please contact a Client Service Representative for more information at (306) 565-4500.

## **BOX OFFICE INFORMATION**

The Conexus Arts Centre Box Office (CBO) uses ETIX computerized ticketing software. For more information please contact the Box Office directly at (306) 565-4504.

## TECHNICAL INFORMATION

**THEATRE SEATING:** (Continental style - no center aisle) - Capacity 2031 seats

Orchestra	1249 (includes 8 wheelchair)
	Using the Pit - 1157
Grand Circle	268
2nd Balcony	264
3rd Balcony	250

**PROSCENIUM OPENING:** Flex Proscenium (Moveable Sound Towers) 30'H X 55'W

**FORESTAGE:** U. S. Edge of Proscenium to D. S. Edge of Apron 6' 0"

**WORKSTAGE:**

U. S. Edge of Proscenium to back wall	53'9"
Width from Centre line to SR	85'8"
Width from Centre line to SL	85'8"
Overall Width of Stage	171'4"
Overall Depth of Stage	59'9"

**WING SPACE:**

S. L. - 38'W X 48'D	
S. R. - 38'W X 26'D	

**STAGE DECK:**

Stagelam Composite	
Over 1 1/2" edge grain spruce	
Sprung for dance	
Working load limit (average)	100 lbs/sq. in.

**ORCHESTRA PIT:**

Hydraulic Lift D. S. of apron	
Capacity	30,000 lbs
Travel Rate	8' / min
Dimensions:	
Width @ U.S. edge	53'
Width @ D.S. edge	65'6"
Depth	13'

**ORCHESTRA SHELL:**

Variable Depth and Height	
4 Flown Ceiling Pieces	
18 Rolling Towers	
Approximate time required to set up – 1.5 hours	

**GENIE LIFT:** In house 35' Genie Lift with rechargeable DC

**RISERS:** New Risers: 26 – 4x8', 8 – 4x6', 2 – 4' (various leg heights available 8" to 24")  
Older Style: all 4' x 8' decks  
Heights: 20 @ 8", 20 @ 16", 20 @ 24", 16 @ 32"

**FLY SYSTEM:** Double Purchase Counterweight  
Lock rail located @ S.R. Gallery  
Batten Length 75'  
Batten Diameter 2 & 7/8ths "  
Line Distance - 8" Centres

**GRID HEIGHT:** 92' Main Grid  
65' Forestage Mini Grid (FOH LX points & Audio)

**PIANOS:** Performance Quality  
2 - 9' Steinway Grand  
1 - Yamaha U3 Upright  
1 – Heintzman Baby Grand (Theatre Lobby)

**MUSIC STANDS:** Manhasset 50  
Lights 30

**TRUCK LOADING:** Loading Area 27' X 38'  
U. S. Right - Direct access to stage area  
Dock level equal to Truck loading level  
Capacity - 2 Truck Sealed Bays  
Unlimited Bus and Truck Parking  
No Parking Permits Required  
Shore Power available upon request

**STAGE POWER:** Located Onstage  
3-400 amp services 3 Phase (2 W/Camlock Located MSR)  
2-200 amp services 3 Phase (W/Camlock, 1 MSR, 1 DSL)  
4-50 amp services single phase (w/Stove Plug Located DSR, DSL, MSL, MSR)

**LABOR:** Stagehands/Wardrobe/Hair & Make Up Technicians  
Supplied through IATSE Local #295  
Yellow Card may be sent to Business Agent or Stage Carpenter at:  
200A Lakeshore Drive  
Regina, Saskatchewan  
S4S 7L3

**DRESSING ROOMS:**

**Stage Level:**

6 rooms: 2 - 4 persons

All equipped with sink, toilet, shower, mirror & lights

Green Room

Comfortable setting for 20 - 30 persons

**2nd Level:**

2 Chorus Dressing Rooms: 20 - 30 persons

All equipped with sink, toilet, shower, mirror & lights

1 Dressing Room/Rehearsal Room: 20-30 persons

Equipped with sink, toilet, shower, mirror & lights,  
Mirrors/Barre/Wood floor

**REHEARSAL ROOM:**

**3rd Level**

Mirrors/Barre/Wood floor (approximately 1456 sq ft)

Only available with prior written notice

**WARDROBE:**

**2nd Level**

2 irons & boards, steamer, 3 Washers & 3 Dryers

Conexus Arts Centre

## CONEXUS ARTS CENTRE - AUDIO

### **CONTACT: MITCH ZALESCHUK – Head Audio Technician**

House Mix Position - Permanent in booth on the main floor under the 1st balcony.

Tour Mix Position - Last 3 Rows of the Main Level Under the First Balcony - 20 seats per row

Rental costs apply to some audio equipment – contact us for a quote.

### **Touring Audio Power:**

200 Amp/3 Phase W/Camlock Connection (Stage Left Downstage Wall)

Refer to Stage setup for other power specs.

### **HOUSE SPEAKER SYSTEM: (Rental costs apply)**

12 Adamson S10 hi-mid cabinet per side

6 Adamson iS119 subwoofer per side

6 Adamson iS7p front fill

Lab Gruppen D120/D200 amplifiers, Lake processing

Tour patch available at FOH or DSL for LEFT, RIGHT, SUBS, FILLS using analog or Dante via Lake LM44

Centre Cluster (mono)

2 EAW LF SB118 subwoofer

4 EAW KF300 mid-hi

EAW MX300i Processor, QSC amplification

### **HOUSE CONSOLES:**

Yamaha QL5 Permanently located in Audio Booth

Yamaha M7CL-48

### **MONITORS:**

8 Yamaha CM15V

2 Crown K1 Amplifier

### **HOUSE DISTRIBUTED PROGRAM/PAGING SYSTEM**

Lobby Paging System (Bose Panaray)

Backstage Paging System (Toa/Bose)

### **HOUSE INTERCOM:**

Wired Technical Projects Clear Com System

Patch points available DSL, DSR, MSL, MSR, USL, USR, Fly Rail, and Tour Mix Position

Permanent Posts located in Audio Booth, LX Booth, Spot Booth (x4), Fly Rail

12 Technical Projects Beltpack

12 Technical Projects Headset

## **MICROPHONES**

10 Sennheiser e845  
2 Sennheiser e845s  
6 Shure SM 57  
2 Shure SM 58s  
1 Shure Beta 56  
1 Sennheiser MD421  
5 Sennheiser e604  
1 Sennheiser e901  
2 Sennheiser e609  
2 Sennheiser e914  
2 AKG 214  
5 Rode NT-5  
2 Crown PCC-160  
1 Crown PZM-30PG

## **DI'S:**

2 Radial Pro D2  
4 Radial Pro D1  
1 Radial JDI  
2 Behringer Ultra 100  
1 Whirlwind HotBox  
6 ART AV Direct

## **WIRELESS MICROPHONES**

8 Sennheiser ew300G3 Receivers:  
8 Sennheiser skm300G3 845 handheld  
8 Sennheiser sk300 G3 belt packs  
8 Sennheiser me2 lavalier  
4 Sennheiser me3w headsets  
4 Apex 575 headset mics

## **OTHER EQUIPMENT:**

2 EAW SB528  
4 EAW KF650E  
With Xilica Processing, Yamaha PCN Amplifiers

4 Yamaha DXR12  
2 Yamaha DXR10  
2 Yamaha DSR118W  
1 Yamaha MSR100 (Portable Powered Speaker)

**AV Equipment:**

- 2 Toshiba 42" LCD TV's
- 2 Da-Lite 38315 fast fold screen – 88"x140"
- 2 Panasonic PTRX870BU 8500 lumen projectors
- 2 PTZ Optics PT20X-NDI-ZCAM box camera
- 4 PTZ Optics 20X-NDI PTZ camera
- 1 PTZ Optics PTZ camera joystick/controller
- 1 Roland V160HD video switcher
- 1 Roland V1-SDI video switcher
- 2 Roland UVC-01 capture card
- 8 Blackmagic HDMI to SDI converter
- 8 Blackmagic SDI to HDMI converter



## CONEXUS ARTS CENTRE - LIGHTING

### CONTACT: Riley Richter – Head Lighting Technician

Lighting Control Positions – permanent in windowed booth, or FOH Main Level under the First Balcony.

Rental costs apply to some Lighting equipment – contact us for a quote.

### CAPITAL AUTO THEATRE

<u>Quantity</u>	<u>Make/Item</u>	<u>Notes</u>
1	ETC IonXe 20 console	FOH MAIN - 2 touchscreen monitor
1	ETC IonXe 20 console	BACKUP/SPARE - 1 touchscreen monitor
1	ETC Eos 40ch fader wing	
1	ETC remote tablet	
14	Colorsource 6' linear	Pit/Curtain warmer top
32	Martin Mac AuraXB wash	8 per line set (Bridge/#13/#26/#40)
18	Martin Mac Quantum profile	4 per line set (#13/#26/#40)
4	Elation Cuepix blinder WW4	Bridge
48	ETC Source4 15°-30° zoom	FOH and spot rail hang (750w)
48	ETC Source4 fixture body	Barrels - 2@10°/6@19°/18@26°/28@36°
18	Strand SL 23-50° zoom leko	
6	Strand SL 26° leko	
32	Strand Century 2321 leko	Rolling booms - 4 per boom
16	Cantata zoom leko	Rolling booms – 2 per boom
12	Cantata zoom leko	Box Booms
15	ETC Source4 par	Full lens set available
8	Ianiri Iris 4 1000w 3465 cyc light	Line set #61
8	Strand Orion 4005.200 3 unit ground row cyc	
2	Lycian M2 long throw 2500w follow spot	
2	Strong Supertrouper 2000w follow spot	C/W Telrad
2	LaMaitre Radiance hazer	DMX controllable
2	Ultratec Versa-Fan	DMX controllable

## CONVENTION HALL

<u>Quantity</u>	<u>Make/Item</u>	<u>Notes</u>
1	ETC Smartfade console	
14	ETC Source4 par	Full lens kit available
6	ETC Source4 jr 25°-50° leko	
4	Strand Axial leko	

## SHUMIATCHER THEATRE

Quantity	Make/Item	Notes
1	Johnson Controls 12ch. console	Mounted in rear wall of space
1	DMX-IN port for external console control	Located at FOH
6	Strand Axial leko 6x12	
9	Strand Axial leko 6x16	

## THEATRE LOBBY

<u>Quantity</u>	<u>Make/Item</u>	<u>Notes</u>
1	ETC Colorsource20 console	Located in theatre booth
4	ETC ColorSource4 LED leko	2@26°/2@36°

### PLEASE NOTE:

- House hang of main theatre automated fixtures may be removed but not relocated.
- Where possible, a LIGHTING PLOT would be appreciated in advance of arrival.
- All accessories, such as power distribution for band equipment, orchestra lights, offstage work light, some specials and most other incidental equipment is available.
- Please advise us of any special requirements in advance of the show arrival

Conexus Arts Centre		Line Set Schedule		
Line Set #	Purpose	Distance	Arbor Size	NOTES
1	First Electrics	0 ft 0 in	LARGE	
2	Grand Valance	1 ft 0 in	SMALL	
3	Grand Drape	2 ft 0 in	LARGE	Very difficult pull when guillotine
4				<b>Removed</b>
5	Electrics Truss	3 ft 6 in	N/A	LX Bridge – weight limit over 2000 lbs
6	Leg # 1	4 ft 6 in	SMALL	adjustable opening on 20 foot track
7	Accoustical Baffle #1		N/A	Motor Assisted Orchestra Ceiling Baffle
8	Border #1	8 ft 3 in	SMALL	
9	Spare	9 ft 0 in	SMALL	
10	Spare	9 ft 7 in	SMALL	
11	Leg # 2	10 ft 3 in	MEDIUM	no track Currently
12	Spare	11 ft 0 in	SMALL	
13	Second Electrics	12 ft 0 in	X-LARGE	
14	Border # 2	13 ft 0 in	SMALL	
15	Spare	13 ft 6 in	SMALL	
16	1/4 Stage Traveller	14 ft 6 in	MEDIUM	used as extra leg / when not full black
17	Spare	15 ft 0 in	SMALL	
18	Spare	15 ft 6 in	SMALL	
19	Acoustical Baffle # 2		N/A	Motor Assisted Orchestra Ceiling Baffle
20	Spare	17 ft 9 in	SMALL	
21	Spare	18 ft 6 in	SMALL	
22	Border # 3	19 ft 3 in	SMALL	
23	Spare	20 ft 0 in	MEDIUM	
24	Leg # 3	20 ft 6 in	SMALL	adjustable opening on 20 foot track
25	Spare	21 ft 3 in	SMALL	
26	Third Electrics	22 ft 9 in	X-LARGE	
27	Border # 4	24 ft 0 in	SMALL	
28	Spare	24 ft 9 in	SMALL	
29	Mid - Stage Traveller	25 ft 6 in	LARGE	used as extra leg / when not full black
30	Spare	26 ft 3 in	SMALL	
31	Spare	27 ft 4 in	SMALL	
32	Spare	27 ft 11 in	SMALL	
33	Acoustical Baffle # 3		N/A	Motor Assisted Orchestra Ceiling Baffle

34	Spare	30 ft 0 in	SMALL	
35	Spare	30 ft 9 in	SMALL	
36	Border # 5	31 ft 6 in	SMALL	
37	Spare	32 ft 0 in	SMALL	
38	Leg # 4	32 ft 9 in	MEDIUM	adjustable opening on 20 foot track
39	Spare	33 ft 3 in	SMALL	
40	Fourth Electrics	34 ft 3 in	X-LARGE	
41	Spare	35 ft 3 in	SMALL	
42	Spare	35 ft 9 in	SMALL	
43	3/4 Stage Traveller	36 ft 6 in	MEDIUM	used as extra leg / when not full black
44	Spare	37 ft 3 in	SMALL	
45	Spare	38 ft 0 in	SMALL	
46	Acoustical Baffle # 4		N/A	Motor Assisted Orchestra Ceiling Baffle
47	Spare	41 ft 9 in	SMALL	
48	Border # 6	42 ft 6 in	SMALL	
49	Spare	43 ft 3 in	SMALL	
50	Spare	43 ft 9 in	SMALL	
51	Fifth Electrics	45 ft 0 in	X-LARGE	
52	Spare	46 ft 0 in	SMALL	
53	Spare	46 ft 6 in	SMALL	
54	Border # 7	47 ft 3 in	SMALL	
55	Up Stage Traveller	48 ft 0 in	MEDIUM	used as extra leg / when not full black
56	Spare	48 ft 9 in	SMALL	
57	Spare	49 ft 3 in	SMALL	
58	Spare	50 ft 0 in	SMALL	
59	Opera Folio	50 ft 9 in	SMALL	

**\*\*Please note pipe batten diameter is 2 & 7/8" rather than 2"**

**If 2" is required please contact us in advance to make proper arrangements**

Updated: January 2022

**Batten Weight Restrictions**

**Small: 900 lbs**

**Medium: 1100 Lbs**

**Large: 1400 lbs (1 available, #29)**

**Extra Large: 1300 lbs**